

SILICONE SEALANTS



CODE: SILICONET = Trans
SILICONEG = Grey

- Non Slump
 - One Part Ready To Use
 - Outstanding Weatherability
 - Excellent Adhesion
 - Excellent UV Resistance
 - As4020 Potable Water Approved **Neutral cure silicone** sealant.
 - 5 Star Voc Compliant
- SA Plumbers is recommended for use with Zinalume®, Galvabond®, Colourbond®, and Marviplate® SA Plumbers Silicone Sealant Is AS4020 Potable Water Approved. suitable for sealing roofing, coated steel, aluminium, flashing, spouting, guttering, metal water tanks, metal lap joints, wall Cladding, masonry, ceramic tiles, cement roof tiles , air-Conditioning units and many other general applications.



CODE: SILGLAZET = Trans

- Fast Cure
 - Non Slump
 - One Part Ready To Use
 - Outstanding Weatherability
 - Excellent Adhesion
 - Excellent Uv Resistance
 - 5 Star VOC Compliant
- SA Silicone-N has excellent adhesion to most common building materials such as glass or glazed surfaces, aluminium and other metals, masonry, treated wood, concrete, uPVC and many other plastics as well as powder coated frames. Used in curtain wall jointing and cement cladding systems, cap beading, standard glazing, butt glazing, glass balustrades, mirror fixing, splashbacks and in factory assembling and sealing applications.
- Neutral cure silicone** sealant.



CODE: SILICONEA = Alum/Silver

- Non Slump
 - One Part Ready To Use
 - Outstanding Weatherability
 - Excellent Adhesion
 - Excellent Uv Resistance
 - 5 Star VOC Compliant
- SA Silicone N-10 has excellent adhesion to glass, ceramics, aluminium, GRP, granite, concrete, galvanised steel, and many plastics. It can be used for standard glazing of frames panels and shop fronts. Sealing environmental and refrigerated rooms, sheet metal, skylights, ventilators, and air-conditioning units. Assembly of metal / plastic signs. Weather proofing, and many other general glazing applications.
- Neutral cure silicone** sealant.



CODE: SILICONECONT = Trans
SILICONECONW = White

- Non Slump
 - One Part Ready To Use
 - Fast Curing
 - Outstanding Weatherability
 - Excellent Adhesion
 - Excellent Uv Resistance
 - 5 Star Voc Compliant
- SA Contractors has excellent adhesion to glass, wood, ceramics, aluminium and many plastics. It can be used for standard glazing of frames panels and shop fronts. Sealing environmental and refrigerated rooms, sheet metal skylights, ventilators, and air-conditioning units. Assembly of metal / plastic signs. Weather proofing. It may also be used to form in place gaskets.
- Acetic cure silicone** sealant.

SILICONE SEALANTS



CODE: SILICONESANT = Trans
SILICONESANW = White

- Non Slump
- Mildew Resistant
- One Part Ready To Use
- Outstanding Weatherability
- Excellent Adhesion
- Excellent Uv Resistance
- 5 Star Voc Compliant

SA Sanitary has excellent adhesion to glass, ceramics, aluminium, masonry, stone, concrete, most metals and many plastics. It may be used for general glazing and weatherproofing applications including wet areas and humid environments.
Neutral cure silicone sealant.



CODE: SILICONEGENEXT = Trans
SILICONEGENEXB = Black
SILICONEGENEXG = Grey
SILICONEGENEXW = White

- Silicone Sealant (Neutral Cure)
- One part Ready to Use
- Fast Curing
- Outstanding Weatherability
- Excellent Adhesion
- Easy Application

Genex GEN10 has potable water approval. Suitable for Sealing Roofing - Coated steel, Aluminium, Flashing, Spouting, Guttering, Metal Water tanks, Metal lap joints, Wall Cladding, Masonry Ceramic Tiles, Cement Roof tiles air-Conditioning units, RV and transport body building.
Neutral cure silicone sealant.



CODE: V60T = Trans
V60B = Black
V60W = White

Bostik V60 is a high performance architectural grade Glazing silicone. One component, non flowing, Neutral cure, High modulus sealant. It cures by absorption of atmospheric moisture to form a flexible and durable elastomeric sealant.

Bostik V60 is a premium grade neutral cure glazing weatherproofing silicone sealant. Its superior adhesion to painted and anodised aluminium & glass has made this silicone the market leader in the glass market for the last 15 years.

The thixotropic nature of this product ensures that it will not slump in typical construction joints.

Excellent U.V Stability Long Life Reliability Bostik V60 has excellent natural ageing stability.

It will maintain its elastomeric joint sealant properties permanently, even under harsh conditions and temperature extremes.



CODE: SILICONEOW = Off White

General purpose silicone with anti fungicide is a one part neutral curing RTV silicone with mould inhibitor. Suitable for use on: Glass, glazed ceramics, aluminium, masonry, vitreous enamel, fibregalss, showerscreens. Sheet metal, laminated surfaces, benches etc, terrariums, display cases and general glazing. Silicone GP will resist the growth of unsightly mould.

SILICONE SEALANTS



CODE: NONAILSULTRAGRIP



NO NAILS

STYRENE FRIENDLY - PREMIUM QUALITY

Aftek Ultragrip Construction Adhesive is a one part adhesive for use on bonding timber together, timber skirtings, architraves, plaster board, most panel materials and masonry, including polystyrene foam to timber. Excellent and designed for bonding, particle board, plywood, tongue-groove and CFC sheet flooring to floor joists.

CODE: COOLROOMMASTIC



COOLROOM MASTIC

Aftek Panel Mastic is a non skinning mastic designed for sealing joints in insulating panels and elements of cold store construction. It is permanently flexible and non skinning to accommodate thermal expansion and contraction. It is suitable for sealing between metals, masonry, polystyrene and most common building materials, providing a dust proof, waterproof seal.

CODE: GAPSEALBOSTIK



GAP SEAL

Bostik Gap Seal is a general purpose water based acrylic gap filler, suitable for use on interior and exterior areas prior to painting. It offers excellent adhesion properties suitable for sealing gaps and low movement joints. Bostik Gap Seal can be used on: Skirting boards, architraves, plasterboard, window and door frames.

INFINITY FC MS Advanced Fast Cure Polymer

Infinity FC MS is a one component high performance, Fast Cure sealant based on advanced MS Polymer Technology. It is Solvent, Silicone, and Isocyanates free and is Non-staining for natural stones applications. It has an excellent UV, weather and Temperature resistance. It has excellent adhesion over a wide variety of substrates and is paintable with most common industrial paints. **Available in White 600ml Sausage**

CODE: INFINITY-FCW600



SEALANTS - POLYURETHANE ADHESIVES



Sikaflex® - PRO High Strength Polyurethane Sealant



CODE

SIKAFLEXPROB300 = Black
 SIKAFLEXPROG300 = Grey
 SIKAFLEXPROW300 = White
 310ml Tube

Sikaflex® - PRO is a multipurpose permanently elastic sealant that provides excellent adhesion while allowing high flexibility for accommodating joint movement. For bondind applications use Siksflex 11FC.

- Expansion joints in buildings
- Construction joints
- Joints in precast concrete elements
- External walling and cladding joints
- Infill panel joints
- Curtain walling
- Sanitary installations
- Sealing around window and door frames
- Flexible draught proofing
- Sealing penetrations in walls or floors for ducts, piping etc

Sikaflex® - PRO SAUSAGES 600ml



CODE

SIKAFLEXPROB600 = Black
 SIKAFLEXPROG600 = Grey
 SIKAFLEXPROW600 = White
 600ml Sausage

Sikaflex® - 11FC 1-Part Elastic Joint Sealant & Multipurpose Adhesive



CODE

SIKAFLEX11FCB300 = Black
 SIKAFLEX11FCG300 = Grey
 SIKAFLEX11FCW300 = White
 310ml Tube

Sikaflex® - 11FC is a one part, moisture curing, elastic joint sealant and multipurpose adhesive based on polyurethane for indoor and outdoor applications.

Sikaflex® - 221 One Comonent Adhesive Sealant



CODE

SIKAFLEX221B300 = Black
 310ml Tube

Sikaflex® - 221 is a high-quality multipurpose non-sag 1-C polyurethane sealant that cures on exposure to atmospheric humidity to form a durable elastomer.

Sikaflex® - 252 Assembly Adhesive



CODE

SIKAFLEX252W300 = White
 310ml Tube

Sikaflex® - 252 is suitable for structural joints that will be subjected to dynamic stresses. Suitable substrate materials are timber, metals, particularly aluminium, sheet steel, ceramic materials and plastics.

SEALANTS - POLYURETHANE ADHESIVES

Sikaflex® - Aktivator-100

Sikaflex® - Aktivator-100 is an activating agent to improve adhesion. It is specifically formulated for the treatment of bond faces prior to application of various Sika polyurethane adhesives.

CODE

SIKA-AKTIV100 Bottle 1ltr



Bostik Matrix FC Polyurethane



CODE

MATRIXFCBTUBE = Black
MATRIXFCGTUBE = Grey
MATRIXFCWTUBE = White

300ml Tube

Bostik Matrix FC is a one part gun grade, fast curing, flexible industrial grade polyurethane adhesive sealant.

APPLICATIONS

- Automotive smash repair
- Bus, trailer & rail body works
- Storage containers
- Marine-commercial & pleasure craft
- Air conditioning, refrigeration
- Metal working
- Flexible

Bostik Seal N" Flex1 Polyurethane



CODE

SEALFLEXB300 = Black
SEALFLEXG300 = Grey
SEALFLEXW300 = White


300ml Tube

Bostik Seal N Flex 1 is a one part gun grade, fast curing, flexible industrial grade polyurethane adhesive sealant.

APPLICATIONS

Weatherproof sealing of joints in precast and tilt up panels, masonry, timber, plasterboard and fibre cement sheet, aluminium windows and doorframes, granite, sandstone and marble, GRC, fibreglass and most specialty panel systems.

LIGHT DUTY SILICONE GUN



CODE: SILICONEGUNL

HEAVY DUTY SILICONE GUN



CODE: SILICONEGUNHD



SILICONE CAULKING GUNS

SVENIC - MADE IN ENGLAND

SVENIC HEAVY DUTY PRO-CAULKING GUN

Strong, lightweight, metal construction, ensures reliability. Comfortable operation due to smooth, effortless action, contoured trigger and balanced design. Hanging hook enhances safety and user convenience by allowing the applicator to be hung from the ladder, gutter, belt, etc. Pressure release automatically prevents applicator from contributing to material 'flow on'.

CODE: PRO GUN (616SAE)



SVENIC HV FRAME TYPE CAULKING GUN

Top of the range, professional quality applicators. Thick patented catchplate, hardened push rod and robust construction. ensure reliability and increased working life. Easily dispense any hard or difficult sealants, caulks and adhesives, due to their high mechanical advantage. Operator efficiency is enhanced by the effortless trigger action which allows for smooth full strokes.

CODE: HVFRAME (620SAE)



BARREL TYPE CAULKING GUN

37cm standard barrel length
Manual barrel applicator. Suitable for dispensing cartridges and sachets. Easily dispenses any hard or difficult sealants, caulks and adhesives, due to its high mechanical advantage. Balanced design and profiled hand grip provide for comfortable use by all hand sizes. Wearing parts are replaceable. Plastic plunger gives a clean sweep within the drawn barrel thus preventing the sachet gathering behind the plunger during operation. Dispenses 600 ml sausages

CODE: SILICONEGUN600



SVENIC PNEUMATIC APPLICATOR - AIR SILICONE CARTRIDGE GUN

Dispenses small rigid cartridges only, 215mm and 250mm cartridges. Strong trigger made of lightweight engineering plastic contoured for comfort. Pressure regulator secured below trigger handle, providing zero to maximum pressure control. A silencer fitted to the quick exhaust valve provides quiet operation. 50mm diameter aluminium barrel.

CODE: 712SAE



REDBACK SILICONE CLEAN UP

Silicone Clean Up is specially formulated to remove uncured silicone from laminates, porcelain, metal roofing and gutters. Save hours in clean up time and leave a cleaner, more professional finish. Supplied in a 500ml container.

CODE: RED404

